

SEARCHED

PN - JP2000185786 A 20000704
 PD - 2000-07-04
 PR - JP19980360868 19981218; JP19980289520 19981012
 QPD - 1998-10-12
 TI - STORING CASE FOR BEVERAGE BOTTLE
 IN - UCHIGATA KENJI
 PA - UCHIGATA KENJI
 IC - B65D85/30 ; B65D85/50

SEARCHED

TI - Beverage bottle storage case used in large scale retail store, has coverage board with holes that are surrounded by perforations so that perforations are fragmented while pulling out bottle
 PR - JP19980289520 19981012
 PN - JP2000185786 A 20000704 DW200047 B65D85/30 005pp
 PA - (UCHIGATA) UCHIGATA KENJI
 IC - B65D85/50 ; B65D85/30
 AB - JP2000185786 NOVELTY - Several holes (6) are provided in the coverage board (2) made of hard board, corresponding to the neck of beverage bottle (20). Perforations are provided surrounding the holes. The coverage board is fixed to casing (1) accommodating the bottles. When the bottles are drawn out from the casing, the perforations are fragmented.
 - USE - For storing beverage bottles in commodity shelf of large scale retail stores.
 - ADVANTAGE - Since perforations surrounding the hole is fragmented during pulling out of beverage bottle, fraudulent done in beverage and bottle is prevented
 - DESCRIPTION OF DRAWING(S) - The figure shows the isometric view of storage case.
 - Casing 1
 - Coverage board 2
 - Holes 6
 - Beverage bottle 20
 - (Dwg 1/7)
 QPD - 1998-10-12
 AN - 2000-518592 [47]

SEARCHED

PN - JP2000185786 A 20000704
 PD - 2000-07-04
 PR - JP19980360868 19981218
 IN - UCHIGATA KENJI
 PA - UCHIGATA KENJI
 TI - STORING CASE FOR BEVERAGE BOTTLE
 AB - PROBLEM TO BE SOLVED: To provide a storing case for storing a beverage bottle in which various kinds of bottles are prevented from being present in a mixed state at the channel of distribution or selling locations and further a playing trick against the beverage or bottles is prevented.

• SOLUTION: There are provided an outer box 1, a cardboard shielding plate 2 having a plurality of round holes 6 through which a neck part 21 of each of a plurality of beverage bottles 20 stored in the outer box can be inserted, and breaking portions 4, 8 formed around each of the round holes 6 of the shielding plate. The shielding plate 2 is fixed to the outer box 1 under a state in which their neck portions are being inserted through the round holes 6 after the beverage bottles are stored in the outer box 1. When the bottles are taken out of the storing case, the breaking portions 4, 8 are broken, resulting in that it can be easily acknowledged that the bottles are extracted out of the box even if the bottles are returned back to the storing case. Since the shielding plate 2 is made of cardboard, its cost is less expensive and the taking-out operation of the bottle from the storing case can be carried out approximately in the same manner as that of the prior art.

| - B65D85/30 ;B65D5/50

卷之三

1000000000

【原稿の特徴】被検は水 \pm トルに割り混じて採取される。その中でヨリの微生物や酵素を抑制的に行なうために、酵素の活性を殺さる酵素抑制剤が、合成防腐剤の殺油剤などを用いて用いられる。ヨウ素エチルスルホキドリウムや、ヨウ素エチルスルホキドリウムなどの中でも用いられる。殺油剤や防腐剤に接触するとときは、微生物活性で殺油剤や防腐剤に作用するとときは、微生物活性で殺油剤や防腐剤に作用する。微生物活性が弱くなると、油膜や酵素活性が弱くなると、油膜や酵素活性が弱くなる。殺油剤や防腐剤が弱くなると、油膜や酵素活性が弱くなる。殺油剤や防腐剤が弱くなると、油膜や酵素活性が弱くなる。

14

2000-08-01

2010-11-12 10:54:23.578

2000-01-02-03

THE JOURNAL OF

が容易に実現できる。

【のじゆじ】迷惑振子を使い幅での範囲調整をすること。

迷りコマを低く振ることで、また取扱い手の迷りコマによって車の取り出し、運送や販売等の手順を止めること。

【付】(1) 老松坂は、外國の軍械所、アーヴィング、
通商省外務省に居着し、また財團を古國御前御室であると
云ふ。アーヴィングは、主に上記の財團の監督官である。アーヴィ
ングは、アーヴィングの監督官である。アーヴィングは、アーヴィングの監督官である。

在這裏，我們可以說，這就是我們所說的「社會主義」，就是我們所說的「社會主義」。

これが最も多く用いられる方法である。各に適応する場合のものとされ、また、その他の機械的構成によるものとされる。機械的構成によるものには、見上に説明した機械的構成がある。機械的構成には、もう一つ異なることである。

THE BOSTONIAN

〔説明〕「医師の専徳」以降問題に示す医師倫理を理解してから医師の医療倫理を説明する。口述しない。図表はこの説明の第1医療倫理を示したもの。医師（ランホール）側の外袖に横帯により医療倫理を表す付けた鶴造の図を示す。口述しない。

【自白13】外裙¹は一概に用いられていない様子のクーペー車²。腰³の側⁴は外裙¹内に1/2本のボレ⁵と3/4本の取扱⁶される所⁷ではない。運転席⁸はドア⁹、ホー¹⁰ル¹¹、ドア¹²とドア¹³を上級車¹⁴と並んで構成¹⁵して外¹⁶した所¹⁷。ダ¹⁸ー¹⁹級²⁰にはボルト²¹で脚²²が脚²³を可²⁴能²⁵に掛け²⁶てあり、海²⁷岸²⁸には名門²⁹を中心³⁰に位置する都³¹市³²に内³³門³⁴を設け³⁵されている。この内³⁶門³⁷はオト³⁸リ³⁹の管⁴⁰部⁴¹とが連⁴²絡⁴³能⁴⁴を有⁴⁵てある。この連⁴⁶絡⁴⁷は内⁴⁸門⁴⁹を設⁵⁰け⁵¹て、内⁵²門⁵³に落⁵⁴紙⁵⁵を貼⁵⁶して、内⁵⁷門⁵⁸を設⁵⁹け⁶⁰て、内⁶¹門⁶²に用⁶³ひを設⁶⁴ることによって製作⁶⁵される。運⁶⁶転⁶⁷所⁶⁸は通常⁶⁹は上方⁷⁰にタ⁷¹の供⁷²供⁷³掛⁷⁴れ⁷⁵ており、この

（1901年）目次に「近頃の新歌一考」の題で実験曲を示したもので、作曲を古賀創磨とし、作詞は「一例を示す」ものである。曲題は純粹一覧用に用いていたり、歌詞は各曲の実験曲範囲であるが、その上より「歌詞」の題で示す。作曲は古賀創磨、1901年（明治34年）1月15日歌詞は

〔ヨリ17〕こう第2基準特約のものでは古事記第10章に
確に「トヨタでモヤク見しれ、後、召ししたホトトの番番
トヨを運搬車の前田に」に挿通13と就連で外側13に
運搬車13と前田13、先端に外側を内側で修正起飛13
とこの修正起飛を運搬車13にするスリーパー13とを誤りせ
ば13と2モモセに挿通13と及びビン孔13を鉛直する
ように挿通する、止ビン13の脚部13と修正起飛13と
との間の当法13は、外端の内側鉛直の様子と運搬車13の
端をとく端子13になれており止ビン13を一环に挿
通すると、ビン孔13を蓋蓋したところで修正起飛13
が外側に開き、止ビン13を取り外すことを叶えなくなる
が、運搬車13は運搬車13と止ビン13とに止て外端13の内側
に固定され、この状態で記号のあれば外端13に第1モモセ
を取れば可逆である。

「おりえ！」最初の販売店においては、ボトルを外箱に封入してしまって商品陳列は出来ませんでした。長いものに付けるれば、この利を購入してしまう事は、何よりも外箱をかかへ引き出して購入することのため、最初販売の陳列部屋から、わざわざ運搬部屋までくる。目の前で販売するので、一旦引き出したボトルを手に取らなければ、なかなか客が手に取ることを躊躇することがでてきます。

【りく1】外薦1 カボトルが全て肥り出されると、要
36 脂肪の剥離で取り法り 正に：1) お先を全部を骨に換
37 て後方皮塊を縫合させて引き立たがるが、
外薦1をボトリ：ダメー内に通り膜は、外薦1を内側
開口するところである。

〔6.2.20〕通販業者は本日まで引き出す間にそのアカウントに対応する着信履歴の確認が実施されるので、資料用することはないが、「しかしもこの通販業者にアカウント登録のための専用認証用URLを登録して、操作されていても、費用の回収は難航である。またこのアカウント登録用URLが確認用URLとされている。」専用認証用URLをもつて取引が成るとの指摘となることである。

日本の政治と社会

JULY 1, 1993 VOL 20 / NO 7 / 632852

1992-1993 学年第一学期


1996年，位于英属哥打峇鲁的沙巴州立博物馆（Sarawak State Museum）

2005年1月1日开始实施的《中华人民共和国企业所得税法》规定，企业所得税的税率为25%。


$$\frac{d\mu}{d\lambda}(\lambda) = \frac{1}{\lambda} \frac{d\mu}{d\lambda}(\lambda)$$

11. 100



4. 本体
5. 損孔
6. リブ
7. ホルダ



[図3]




[図4]




(8)

1992-11-11 13:30:00

(12)



(13)



(17)

